

# ENROX

## Enrofloxacin 10%

### Oral solution

#### Composition:

Each 100ml contains:  
Enrofloxacin 10 gm

#### Properties:

*Enrox* contains enrofloxacin as an active constituent it belongs to the second generation of quinolones.

*Enrox* has a wide spectrum of activity against Gram positive and Gram negative bacteria. It inhibits the synthesis of bacterial DNA by interfering the activity of DNA gyrase.

Most of bacteria are sensitive to Enrofloxacin such as E-coli, Salmonella,

Klebsiella, Haemophilus, Pasteurella, Pseudomonas, Streptococci,

Staphylococci, Erysipelas, Mycoplasma and Chlamydia.

#### Indications:

##### Poultry:

Colisepticemia, Salmonellosis, Fowl cholera, Coryza, Dermatitis infectious sinusitis, infectious arthritis.

Other animals: Bronchitis, Pneumonia, Nephritis, Cystitis, Urethritis, Enteritis, Dermatitis and Soft tissues infections.

#### Dosage:

##### Poultry:

1ml (100mg) per 2 liters of drinking water for 3-5 days.

##### Sheep, Goat and Calves:

1ml(100mg) per 20-40 kg body weight

#### Withdrawal period:

Poultry: 4 days from the last treatment.

Sheep, Goat and Calves: 7 days from the last treatment.

Store in cool and dry place away from light

M.O.H. Reg. No.: 2020/2002

#### Produced by:

Universal industrial Pharmaceutical Co.

El obour City Cairo-Egypt.