Erythromycin 40 %
Water Soluble Powder
For Veterinary Use

Composition:-

Each 100 gm contains:

Erythromycin thiocyanate 40 gm

Indications :-

Poultry :-

Infectious coryza , infectious synovitis, Mycoplasmosis, Pasteurellosis, Staphylococcal arthritis and Streptococcal infections

Turkey :-

Air sacculitis, erysipelas, infectious sinusitis staphylococcal arthritis and streptococcal infections

Characteristics :-

-Erythromycin is usually a bacteriostatic agent but in high concenteration or against highly suspectable organisms, it acts as bactericidal.

- **I**t is believed that macrolides act by binding to 50 S ribosomal subunit of susceptible bacteria, thereby inhibiting peptide bond formation.

Dosage :- FOR POULTRY

10- 20 mg of active substance /kg body weight in drinking water for 3-5 consecutive days
This dose is equivalent to 25-50 gm of the product per 100 liter of drinking water

FOR CALVES:-

250 MG of the product powder per 10 kg of body weight twice daily for 3-5 consecutive days in drinking water or milk replacer .

Side effect :-

Relatively infrequent .
Oral erythromycin may cause G.I.T disturbances .

Precautions:-

-**W**ithdrawal period is 7 days before slaughter.

Contraindications:-

- **H**ypersensetivity
- **D**o not use in chicken in chicken producing egg for human consumption

Storage :-

Protect from heat and humidity

Packing :-

Box of 1/4 ,1/2 ,1 ,5 Kg

Produced by :-

UNI PHARMA
EL OBOUR CITY –CAIRO - EGYPT

The sole agent / **EL T**AWHID **C**OMPANY **F**or **V**eterinary **M**edicines .

Tel . 0106012287 , 0106012286 , 02 /3054242 , 02/3448000