

Cerebro 400
Capsules
Piracetam

Composition:

Each capsule contains

Piracetam.....400mg

Properties :-

- **Cerebro** : piracetam (2- pyrrolidone – acetamide) acts on the central nervous system and has been described as a nootropic agent.
- **Cerebro** increases the energetic output of the brain cells and activates its neurophysiological potentialities especially in deficit conditions.
- **Cerebro** has no stimulating, sedative or neurovegetative activity.

Indications :-

- Involutional syndromes related to aging: memory deficits, asthenia, adaptation disorders and disturbed psychomotor reactions.
- Cerebral vascular accidents & cerebral circulatory insufficiency, ischemic or even hemorrhagic acute accident, chronic manifestation of the above accidents or of cerebral atherosclerosis.
- Chronic alcoholism and addiction.
- Post-traumatic syndrome, cerebral dysfunction related to post-traumatic sequelae (headache, vertigo, agitation, and memory asthenia).
- Severe obnubilation and vascular coma of a traumatic or toxic origin.

Side effects :-

- Piracetam is well tolerated, no significant side effects can be observed.

Warning :-

- Due to the effect of Piracetam on platelet aggregation, caution is recommended in patients with underlying disorders of haemostasis, major surgery or severe haemorrhage.
- Abrupt discontinuation of treatment should be avoided as this may induce myoclonic or generalized seizures in some myoclonic patients.
- **Cerebro** should be taken with care by patients intending to drive or operate machinery.

Cerebro use in special groups :-

- As Piracetam is almost exclusively excreted by the kidneys, caution should be taken in treating patients with known renal impairment.
- Dosage adjustment is therefore required in those with mild to moderate renal impairment and elderly patients with diminished renal function.

Drug Interactions :-

- No interactions with antiepileptic drugs have been found.
- Thyroid extracts (T3 & T4) in concomitant use with **Cerebro** may lead to irritability and confusion.

Contra-indications :-

- Hypersensitivity to Piracetam or other pyrolidone derivative.
- Piracetam is contra-indicated in patients with severe renal impairment.
- It is also contraindicated in patients with cerebral haemorrhage.

Pregnancy & Lactation :-

- Piracetam should be avoided during pregnancy and lactation.

Dosage:-

- 1-2 capsules 3 times daily or as directed by the physician.

Presentation :-

- Box of 30 capsules.

This medicament

- Is a product that affects your health and its consumption in contrary to instructions is dangerous for you.
- Follow strictly the doctor 's prescription , the stated method of administration and the instructions of the pharmacist who sold you this medication
- The doctor and the pharmacist are the experts in medicines, its benefits & risks.
- Do not interrupt the prescribed period of treatment by yourself.
- Do not repeat the medication without consulting your doctor
- Keep medicines out of reach of children

Produced by ...

UNI PHARMA

EL OBOUR CITY, CAIRO, EGYPT