

# Paracetamol 650mg

## Tablets

### Composition

Each tablet contains paracetamol 650 mg

### Paracetamol PROPERTIES

650mg has analgesic and antipyretic effect that does not differ significantly from that of Acetyl Salicylic Acid.

Paracetamol 650mg is rapidly and almost completely absorbed from the gastrointestinal tract. The concentration in plasma reaches a peak in 30 minutes to 2 hours, and the half-life in plasma is about 1-4 hours after therapeutic doses.

### INDICATIONS

- Relief of pain and fever associated with influenza, common cold and other febrile conditions.
- Headache, toothache and neuralgia.
- Dysmenorrhea, arthralgia, myalgia and similar disorders.

### DOSAGE:

One tablet every 4 hours interval with a maximum of 4 gm daily.

### CONTRA-INDICATIONS

Hypersensitivity to any component of the preparation.

### PRECAUTIONS

Caution is advised in patients with hepatic or renal impairment, or in alcoholism. There is a risk of liver damage following overdose.

### SIDE EFFECTS

Side effects of paracetamol are usually mild and rare though hematological reactions and skin eruptions have been reported.

### OVERDOSAGE

For paracetamol overdose, specific therapy with antidote such as N-acetylcysteine or methionine may be necessary.

### PHARMACEUTICAL PRECAUTIONS

Store below 30°C

### PACKAGE

Boxes of 100 strips x 10 tablets

**Manufactured by: Unipharma company**

**Elobour City, Cairo, Egypt**